






Spare part information

7265.0070












Spare part list 7265.0070

POS:	Art.No.:	Omschrijving:	Aantal:
110	**	COMPRESSOR + FEET + ELECTRICAL BOX	
120	CS9296.0340	MOTOR + FAN + FIXING BRACKET	
130	CS9296.0250	MOTOR + FAN + FIXING BRACKET	
140	**	EVAPORATOR FAN GUARD	
150	CS9296.0262	THERMOSTATIC EXPANSION VALVE WITH COIL	
160	**	EVAPORATOR HEAT EXCHANGER	
170	**	CONDENSER HEAT EXCHANGER	
210	**	CONDENSATE DRYER TUBE	
220	CS9296.0270	SOLENOID VALVE +COIL + CONNECTOR	
230	CS9296.0280	WIRED PRESSURE SWITCH + FAST CONNECTION	
240	**	SUB-ASSY HIGH PRESSURE PROBE 0-30 bar CIRCUIT 1	
250	CS9296.0270	SOLENOID VALVE + COIL + CONNECTOR	
260	**	SUB-ASS. LOW PRESSURE PROBE 0-10 bar	
310	**	RIGHT SIDE PANEL + HARDWARE	
320	**	LEFT SIDE PANEL+ HARDWARE	
330	CS9296.0062	FRONT PANEL + RIVACOLD STICKER + HARDWARE	
340	**	TOP PANEL + HARDWARE	
350	CS9296.0290	EVAPORATOR TRAY + HARDWARE	
360	**	RIGHT AND LEFT EVAPORATOR PANELS + HARDWARE	
410	**	COMPRESSOR ELECTRICAL BOX	
420	CS9296.0010	COLD ROOM AND EVAPORATOR TEMPERATURE PROBES +	
430	CS9296.0200	FRONT PANEL + DISPLAY + KEYBOARD	
505	CS9296.0030	ELECTRICAL BOARD BEST SERIES	
510	CS9296.0350	KL1 - COMPRESSOR RELAY	
515	**	DISPLAY CONNECTOR + FUSE + CLAMPS	
520	CS9296.0180	TC1 POWER TRANSFORMER + QM2 - MAGNETOTHERMIC S	
525	CS9296.0190	KL3 - PRESSURE SWITCH RELAY + SOCKET	
530	**	QM1 - COMPRESSOR MAGNETOTHERMIC SWITCH +AUXILIA	
610	**	COLD ROOM LIGHT	
620	CS9296.0122	DOOR MICRO-SWITCH	
		## = Parts cannot be ordered separately.	
		** = No article number known, must be requested specifically.	



Notities / Notes / Anmerkungen / Remarques

This image shows a full page of blank white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page, typical of notebook paper or a document template. There are no margins, text, or other markings present.



7265.0070

Combisteel BV

Lichtschip 25
3991CP Houten
The Netherlands

+31 (0)30 285 00 90
info@combisteel.com
www.combisteel.com